

<b>Risk Assessment</b>	Live 9 Events Ltd
<b>Activity</b>	Cinema Hire

<b>Assessor</b>	Molly Huthwaite	<b>Location of Assessment</b>	NG12 3UL
-----------------	-----------------	-------------------------------	----------

<b>Risk Rating Matrix (RR)</b>	<b>Likelihood (L)</b>		
	<b>Certain or near certain to occur (High)</b>	<b>Reasonably likely to occur (Medium)</b>	<b>Unlikely to occur (Low)</b>
<b>Fatality; major injury or illness causing long term disability (High)</b>	<b>HIGH (H)</b>	<b>HIGH (H)</b>	<b>MEDIUM (M)</b>
<b>Injury or illness causing short term disability (Medium)</b>	<b>HIGH (H)</b>	<b>MEDIUM (M)</b>	<b>LOW (L)</b>
<b>Other Injury or illness (Low)</b>	<b>MEDIUM (M)</b>	<b>LOW (L)</b>	<b>LOW (L)</b>

<b>Hazards</b>	<b>Who is at risk?</b>	<b>Controls in place</b>	<b>L</b>	<b>S</b>	<b>RR</b>
Loading, handling and transportation of equipment (Injuries caused by: heavy lifting, unacceptable access)	<ul style="list-style-type: none"> <li>Customers</li> <li>Public</li> <li>Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>All equipment must be handled correctly in line with manual handling. Only our staff should move the equipment. Manual handling should be reduced to a minimum by using the trolleys.</li> <li>Ramps &amp; lifts to be used where required and available.</li> <li>All loads must be properly secured.</li> <li>Where required, multiple persons must handle equipment. Individuals should not undertake anything that puts themselves or anyone else at risk.</li> <li>Manual handling training is supplied to all staff annually. Under no circumstances shall anyone but our staff transport equipment.</li> </ul>	L	L	Low
Installation of equipment on site (Injury caused by: debris, tripping over equipment, related injury)	<ul style="list-style-type: none"> <li>Customers</li> <li>Public</li> <li>Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>The operator must have clear access to the setup area. The setup area must be level and free from any rubbish, debris and sharp objects, etc. The equipment must be inspected before, during and after installation to ensure it is free from damage.</li> <li>Once installed, the item should not be moved by any unauthorised persons. The equipment should be set up away from any entrances or exits, ensuring it does not block any fire exits.</li> <li>Any spare equipment must be tidied away and put in a safe place.</li> </ul>	L	L	Low
Electricity & cabling (Injuries)	<ul style="list-style-type: none"> <li>Customers</li> <li>Public</li> </ul>	<ul style="list-style-type: none"> <li>The equipment requires access to a 13-amp plug socket or a 16-amp plug. The power socket ideally</li> </ul>	L	L	Low

caused by: trips, power cut-outs)	<ul style="list-style-type: none"> <li>• Employees/Staff</li> </ul>	<p>should be no further than 30- 40m away from equipment.</p> <ul style="list-style-type: none"> <li>• All electrical components are inspected and PAT every 6 months.</li> <li>• All cabling is to be routed away from walkways and any cables crossing footpaths or vehicle access routes are to be covered with cable ramps where possible</li> <li>• If the power socket is more than 40m away then a generator is advised due to risks caused by trailing cables, however, the power can safely be up to 40m away should the cable be routed out of the way of footpaths and vehicle access.</li> </ul>			
Operation of equipment on site (Injuries caused by: overcrowding of the area, lack of supervision, not following operating rules)	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• Participants not to overcrowd the area and keep a clear space around the item.</li> <li>• Where our staff are present, the equipment will be operated and supervised by trained personnel at all times.</li> <li>• In the absence of our staff, the control, supervision, and safe operation of the equipment becomes the responsibility of the hirer. A safety briefing and written operating guidance will be provided and must be adhered to at all times.</li> </ul>	L	L	Low
Injury through incorrect set up (Injury caused by: positioning)	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• Equipment to be set up by trained staff only.</li> <li>• Once all items are set up a walk-around of the item is conducted by the operator.</li> </ul>	L	L	Low
Weather	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• Equipment to be set up by trained person only and in line with manufacturer guidance.</li> <li>• Marquee must be secured using appropriate anchorage or ballast.</li> <li>• Equipment not to be used in high winds or adverse weather conditions.</li> <li>• Regular checks carried out during use to ensure stability.</li> </ul>	L	M	Medium
Overcrowding	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> </ul>	<ul style="list-style-type: none"> <li>• In line with manufacturer requirements, the 3x6m marquee holds up to 30 people standing or 20 people seated around tables.</li> <li>• For the cinema, we recommend that the seated capacity doesn't exceed 15 with the use of bean bags.</li> </ul>	L	L	Low
Generator and risk of fire (Injuries caused by: fire, heat)	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• All Generators are filled with fuel before delivery.</li> <li>• All Generators must remain a minimum of 5m away from equipment, petrol generators should be in an off-fenced area. Under no circumstances should anyone other than our team enter the fenced-off area where the generator is.</li> <li>• No smoking or BBQs should be within 5m of the equipment.</li> </ul>	L	M	Medium

		<ul style="list-style-type: none"> <li>• All hires where petrol generators will be used will be set up with an earth rod and a fire extinguisher provided.</li> <li>• The diesel generator has a lockable door which the display is located behind, this helps to prevent tampering, the emergency stop button is located in an accessible area in the event of an emergency.</li> <li>• The diesel generator is trailer mounted and should be locked up using the hitch lock and wheel lock to prevent it being moved or stolen.</li> <li>• All spare fuel is stored in suitable marked containers and a safe location. All items must be switched off during refuelling.</li> </ul>			
Injury through equipment defect (Injuries caused by: equipment integrity)	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• All electrical equipment is inspected and PAT every 6 months.</li> <li>• All equipment has a visual inspection on set up and pack down, any dangerous defects are reported to the operator and equipment is taken out of action until required remedial works have been carried out.</li> </ul>	L	M	Low
Slips, Trips & Falls (Injuries caused by slippery floor or cabling)	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• All cabling is to be routed away from walkways and any cables crossing footpaths or vehicle access routes are to be covered with cable ramps where possible.</li> <li>• If the area is too large then access should not be used and the client should provide cones to block off the area from vehicle access.</li> <li>• Ground inspected prior to flooring installation. Flooring only used where suitable and stable.</li> <li>• Carpet edges secured using small pegs or trapped under feet of marquee.</li> <li>• Walkways of entrance and exit maintained at all times, do not obstruct entrance/exit.</li> <li>• Adequate lighting provided for safe movement where required (e.g., entrances/exits). Participants advised to move carefully in low-light conditions.</li> </ul>	L	M	Low
Seating hazard (bean bags)	<ul style="list-style-type: none"> <li>• Customers</li> </ul>	<ul style="list-style-type: none"> <li>• Seating arranged with clear walkways, entrance and exit routes kept clear at all times.</li> </ul>	L	M	Low
Injury from falling projector, speakers, or loose overhead cabling	<ul style="list-style-type: none"> <li>• Customers</li> <li>• Public</li> <li>• Employees/Staff</li> </ul>	<ul style="list-style-type: none"> <li>• Projector is mounted using weight-rated brackets with secondary safety tether. Speakers are mounted using weight-rated webbing straps.</li> <li>• Cables ran overhead in a weaved loom through the frame to prevent becoming loose.</li> <li>• Only trained staff to install and adjust overhead equipment.</li> </ul>	L	M	Low

<b>Date of Assessment</b>	05/11/2025	<b>Status</b>	<b>Complete</b>
<b>Re-assessment Date</b>	01/11/2026	<b>Signature</b>	<b>Name</b>